

Fig 1 (Related Art)

09344190.111700




Fig 2 (Related Art)

09/14/90 11:17:00




Fig 3.




Fig 4

0924190-11300




Fig 5

09/14/90 11:20

BEST AVAILABLE COPY

004490-064460

800

808

801

812

802

814

816

818

820

828

804

830

836

838

806

810

822

824

826

832

834

The image is a screenshot of a software window titled "Ricoch Internet Fax Control Panel". The window is divided into three main sections. The top section, "Fax Document Information", contains a "Select a Tif File" button and a text field with the path "c:\My Documents\example.tif". Below this is a "Select an Action" section with two radio buttons: "Fax the Document" (selected) and "Print the Document". The middle section, "Receiver's Information", contains a "Fax Number" field with "(408) 434 - 5390", a "Receiver Name" field with "Sean Hou" and a checked checkbox, a "Subject" field with an unchecked checkbox, and a "Message" field with an unchecked checkbox. The bottom section, "Sender's Information", contains an "Enter Password" field and a "Sender's Email Address" field with "hou@fax.ussj.ricoh.com". At the bottom of the window are four buttons: "Preview", "Send", "Change Settings", and "Cancel". Handwritten numbers 800 through 838 are placed around the window, pointing to various elements. A vertical string of numbers "004490-064460" is written on the left side of the page.

Fig 6

BEST AVAILABLE COPY

900

Internet Fax Settings

901

Mail Parameters

SMTP Server

Domain Name

Your Email Address

904

906

908

910

Internet Fax Machine Parameters

Machine Name

Email Address

Password

Own fax Number

912

914

916

920

OK

Cancel

918

00714490-1100

Fig 7

electronic mail address fields




Fig 8




Fig 9

DOCKET 196033US-28

1080

MAIL FROM: sender email address
RCPT TO: electronic mail address fields
SUBJECT: sender subject
COMMENTS: sender message
DATA
TIFF file
.

Fig 10

09/14/90 11:00




Fig 11

002222 0611260




Fig 12

09744300.11700
002777 05TH 260

0974490-11700




Fig 13